

## SPINNING WEBS

Designed by Toby Lischko

Quilt Size: 23" x 48-1/2"

Block Size: 11-1/2 x 13"

Level: Beginner

### FABRIC REQUIREMENTS Yardage based on 40"

**Orange** 3/8 yard (blocks)

**Black print** 3/8 yard (blocks and sash)

**Multi-print** 5/8 yard (blocks, sash, and border)

**Black solid** 1-5/8 yards (backing and sash cornerstones)

Batting: Fairfield 80/20 lap size 45" x 60".

Tools needed:

60° ruler

### CUTTING INSTRUCTIONS (WOF refers to width of fabric; selvage to selvage)

**Orange:**

Cut **three** 2-1/2" x WOF.

**Black print:**

Cut **three** 2-1/2" x WOF.

Cut **four** 1-1/2" x WOF; sub-cut into **four** 1-1/2" x 13-1/2" and **six** 1-1/2" x 12".

**Multi-print:**

Cut **one** 4-1/8" x WOF; sub-cut into **six** 4-1/8" x 7-1/8" then cut in half diagonally to create **12** triangles.

Cut **four** 1-1/2" x WOF; sub-cut into **four** 1-1/2" x 13-1/2" and **six** 1-1/2" x 12".

Cut **four** 3" x WOF.

**Black solid:**

Cut **one** 28" x 53" for backing.

Cut **four** 2-1/2" x 2-1/2".


### BLOCK CONSTRUCTION

1. Sew **two Orange** 2-1/2" strips to **one Black print** 2-1/2" strip.  
Press to black.



2. Sew **two Black** 2-1/2" strips to **one Orange** 2-1/2" strip.  
Press to black.

3. Place the two strip sets, right sides together, making sure that the seams are "nestled in". Using the 60° ruler, line up the 6-1/2" line on the edge of the strip and cut **nine** of each set.



4. Sew **one set A** and **two set B** together matching seams. Press seams open. Do not trim off "dog ears". **Make 3.**



5. Sew the **Multi-print** 4-1/8" x 7-1/8" triangles on each end (there will be a left and right triangle when you cut them). Use the "dog ear" to match the corner of the triangle to create the 1/4" seam. The small end of the triangle will extend past the bottom. Press seams open. Trim ends of long triangles to edge of the bottom.



6. Repeat steps 4 and 5 with **two set A** and **one set B**. **Make 3.**



7. Sew the two sections together to create the block. Press seams open. **Make 3.**




#### QUILT CONSTRUCTION

8. Sew a **Black print** 1-1/2" x 13-1/2" to a **Multi-print** 1-1/2" x 13-1/2". **Make four.**




9. Sew a **Black print** 1-1/2" x 12" to a **Multi-print** 1-1/2" x 12". **Make six.**


10. Sew the **three** blocks together with the **four** 13-1/2" strip sets. Rotate the strip sets and blocks as illustrated. Press seams to strip sets.




11. Sew **three** 12" strip sets together with **four Black** 2-1/2" squares. Rotate strip sets as shown. Press seam to strip set. **Make 2.**




12. Sew these to the sides of the quilt, rotating strip as shown. Press to the strip sets.



13. Measure through the vertical center of the quilt and trim one of the **Multi-print** 3" strips to two of this width. Sew to sides. Press to border.



14. Sew the remaining **three Multi-print** 3" strips short ends together with diagonal seams. Measure through the horizontal center and trim two to this length. Match centers and ends and sew to top and bottom. Press to border.



15. Layer top, batting and backing and quilt as desired. This was quilted in the ditch with some meandering quilting in the borders. Leave at least 1/2" unquilted from the edge of the borders.
16. Turn the backing under and trim the batting even with the top making sure not to cut into the backing. Trim the backing to 3/4" from the quilt top edge. \*(If you choose to use a traditional binding, trim backing and batting even to the top and follow step 18.)
- \*17. Fold the backing in towards the top 1/4", then again 1/4" over the top of the quilt, and either attach by machine with an invisible hem stitch and invisible thread, or sew by hand to the front of the quilt. Either miter the corners as you sew around the quilt or sew opposite sides first, then the top and bottom, overlapping corners.

OR

- \*18. If you prefer to put a French binding on the quilt. Cut three 2-1/4" strips lengthwise on the black backing fabric. Sew short ends together with diagonal seams. Press in half lengthwise, wrong sides together and sew to front of the quilt with a 1/4" seam, with a French binding technique. Fold to back and sew by hand.

BE SURE TO PUT A LABEL ON THE BACK AND ENJOY!